

# Wordpress Implementation - Part 2

Once the required php files have been uploaded to the web server, additional php code must be added to WordPress to enable the queuing functionality. The code is accessed via PBR's private GitHub repository at <https://github.com/pbr-it/queue-it>


Credentials are located in the IT password store.

Before adding the code, ensure that the variable `$secretKey` is set to the secret key specified in the Queue-it portal.

The Code Snippets Wordpress plugin is used to add the code to Wordpress.


After opening the plug in, create a new snippet.

Add the code to the code preview window, ensuring that 'Code Type is set to PHP Snippet'



The image shows a dropdown menu labeled 'Code Type' with 'PHP Snippet' selected and a downward arrow icon.

Ensure that the insertion options are the same as below. Selecting 'Frontend Conditional Logic' ensures that the code is only executed by visitors and not when attempting to edit the page.



The image shows the 'Insertion' settings for a snippet. It includes a note about 'Auto Insert' and 'Shortcode' modes. The 'Insert Method' section has 'Auto Insert' selected. The 'Location' dropdown is set to 'Frontend Conditional Logic'. The 'Schedule snippet' section has 'Start Date' and 'End Date' fields.

Under 'Smart Conditional Logic', specify the criteria that should apply for the code to run,

## Smart Conditional Logic ?

---

Using conditional logic you can limit the pages where you want the snippet to be auto-inserted.

---

Enable Logic



Conditions

Show ▼ This code snippet if

Page URL ▼ Contains ▼ polar-express ⊖

**AND**

**+ Add new group**

Save the code snippet.

At this point the code is in place to make the call to Queue-it at page load.

Remaining configuration is performed via the Queue-it portal.

---

Revision #5

Created 2023-11-01 12:13:46 UTC

Updated 2024-10-09 14:50:07 UTC